L Number	Hits	Search Text	DB	Time stamp
1	1	@ad<20002212 and validation same encrypt\$4 same decrypt\$4 same	USPAT; US-PGPUB;	2004/05/18 08:36
2	17		EPO; JPO; DERWENT; IBM_TDB	2004/05/10
2	17	<pre>@ad<20002212 and validation same encrypt\$4 same decrypt\$4 and accelerator</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18 08:37
3	28	<pre>@ad<20002212 and validat\$5 same encrypt\$4 same decrypt\$4 and accelerator</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18 08:38
4	28	@ad<20002212 and validat\$5 and encrypt\$4 same decrypt\$4 same accelerator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18 08:39
_	87	@ad<20002212 and Transformer near5 switch same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18 08:35
_	97	@ad<20002212 and Transform\$4 near5 switch same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:22
_	247	@ad<20002212 and Transport\$4 near5 switch same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:22
-	166	@ad<20002212 and Transport\$4 near3 switch same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:25
_	12	@ad<20002212 and (translat\$5 or transform) same (html or xml or html or edi) same switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:30
-	129	<pre>@ad<20002212 and (translat\$5 or transform) same (html and xml or edi) and switch</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:33
-	63	<pre>@ad<20002212 and (translat\$5 or transform) same ((html and xml) or (xml and edi) or (xml and ascii) or (ascii and edi)) and switch</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:35
-	28	<pre>@ad<20002212 and (translat\$5 or transform) same ((html same xml) or (xml same edi) or (xml same ascii) or (ascii same edi)) and switch</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:47
-	14	<pre>@ad<20002212 and (translat\$5 or transform) same ((html same xml) or (xml same edi) or (xml same ascii) or (ascii same edi)) and switch same (nodes or server)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/12 10:28
-	2	@ad<20002212 and network and security adj3 accelerator and encryp\$3 and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/09 16:43

	22	@ad<20002212 and network and validation	USPAT;	2004/04/09
		adj3 template\$2	US-PGPUB;	16:49
ļ			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	@ad<20002212 and transcoding adj3	USPAT;	2004/04/09
		technology and ibm	US-PGPUB;	16:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	27	@ad<20002212 and (translat\$5 or	USPAT;	2004/04/12
	_,	transform\$3 or transcod\$3) same switch\$3	US-PGPUB;	10:26
		same (html or xml or html or edi)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	14	@ad<20002212 and (translat\$5 or	USPAT;	2004/04/12
		transform) same ((html same xml) or (xml	US-PGPUB;	12:42
		same edi) or (xml same ascii) or (ascii	EPO; JPO;	1
		same edi)) and switch same (nodes or	DERWENT;	
		servers)	IBM TDB	i
_	21	@ad<20002212 and (translat\$5 or transform	USPAT;	2004/04/12
		or transcoder) same ((html same xml) or	US-PGPUB;	12:41
		(xml same edi) or (xml same ascii) or	EPO; JPO;	
		(ascii same edi)) and switch\$3 same	DERWENT;	
		(nodes or servers)	IBM TDB	
_	2	@ad<20002212 and "20020078134"	USPAT;	2004/04/12
l	2		US-PGPUB;	11:29
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	40	@ad<20002212 and transformation adj	USPAT;	2004/04/26
l	10	template	US-PGPUB;	15:28
			EPO; JPO;	-3.22
			DERWENT;	
		· '	IBM TDB	
_	29	@ad<20002212 and ((translat\$5 or	USPAT;	2004/04/12
	2.9	transform or transcoder) same ((html same	US-PGPUB;	12:51
		xml) or (xml same edi) or (xml same	EPO; JPO;	
		ascii) or (ascii same edi))and switch\$3	DERWENT;	
		and (nodes or servers) and network	IBM TDB	
).detd.		
_	15	@ad<20002212 and ((translat\$5 or	USPAT;	2004/04/12
	15	transform or transcoder) same ((html same	US-PGPUB;	15:50
		xml) or (xml same edi) or (xml same	EPO; JPO;	-3
]		ascii) or (ascii same edi)) and switch\$3	DERWENT;	1
		same (nodes or servers) and network	IBM TDB	

-	100	("6336137"	USPAT;	2004/04/12
		"6557043"	US-PGPUB;	15:50
1		"6571292"	EPO; JPO;	
		"6324568"	DERWENT;	
		"6609150"		
			IBM_TDB	
		"6501956"		
		"6604128"		ľ
		"6083276"		
		"6542911"		
		"6012098"		
		"6199081"		
		"6397219"		
		"6453329"		
		"6466940"		
!		"6476833"		
		"6631379"		
1		"6311194"		
		"6490564"		
		"6578000"		
		"6426778"		
		"6589291"		
		"6209124"		
		"6397217"		
				1
		"6507817"		
	1	"6519617"		
		"5973696"		
		"6456308"		
		"6446113"		
i				
		"6587855"		
		"6671853"		
		"6516322"		
		"6675354"		
		"6223190"		
		"6223190"		
		"6366934"		
		"6421656"		
		"6519597"		
		"6584459"		
		"6578192"		
		"6167441"		
		"6336124"		
		"6088675"		
	ŀ	"6480865"		
1		"6681370"		
		"6697964"		
1	1	"6094649"		
		"6167448"		
1	1	"6463440"]
1]
1	1	"6418448"		
		"6571253").pn.		
1		,		
_	2	"20020078134"	USPAT;	2004/04/26
1			US-PGPUB;	15:05
	1			
	!		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	1	6622168.pn. and (servers or nodes)	USPAT;	2004/04/26
	1	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	15:22
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	46	@ad<20002212 and accelerator same	USPAT;	2004/04/26
		encrypt\$4 same decrypt\$4	US-PGPUB;	15:36
1		cucribeds same decribeds		
1	ł		EPO; JPO;	
1	i		DERWENT;	
	1		IBM TDB	1
_	1	@ad<20002212 and COUPL\$4 NEAR5	USPAT;	2004/04/26
	1	accelerator same encrypt\$4 same decrypt\$4	US-PGPUB;	15:37
1	1	accererator same entrypts, same decrypts,		*3.37
	1		EPO; JPO;	
	1		DERWENT;	
1	1		IBM TDB	
	<u> </u>	<u> </u>	<u></u>	L

	3	@ad<20002212 and "6549937"	USPAT; US-PGPUB; EPO; JPO;	2004/05/10 16:31
			DERWENT; IBM_TDB	
_	2	@ad<20002212 and "20030069975" .	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 11:24
-	45	<pre>@ad<20002212 and determin\$4 same transformation near5 (need\$4 or perform\$3 or require\$) same protocol</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 17:58
-	31	<pre>@ad<20002212 and determin\$4 same transformation near5 (need\$4 or require\$) same protocol</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07 17:59
-	60	<pre>@ad<20002212 and determin\$4 same translation near5 (need\$4 or require\$) same protocol</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/07
_	123	@ad<20002212 and validator same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 11:24
-	123	@ad<20002212 and validator same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 11:28
_	7	<pre>@ad<20002212 and (validator same error).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10
-	6	<pre>@ad<20002212 and (html near10 validat\$4).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:16
	15	@ad<20002212 and validator same syntax same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:20
_	63	@ad<20002212 and validat\$4 same syntax same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:20
-	9	@ad<20002212 and validat\$4 near30 syntax near30 error	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:26
_	1	@ad<20002212 and validat\$4 near30 syntax near30 error same correct	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:29
_	1	@ad<20002212 and (html or xml) near10 validat\$4 same syntax same error	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 15:38

_	9	@ad<20002212 and validat\$4 near30 quality near30 error	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:40
_	3	@ad<20002212 and validat\$4 near5 message near5 syntax	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:44
_	3	@ad<20002212 and validat\$4 near5 message near5 quality	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:45
	2	@ad<20002212 and validat\$4 near3 message near5 quality	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 15:45
	35	@ad<20002212 and (translat\$4 or transform\$4) near10 xml near10 html	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 18:40
_	26	@ad<20002212 and transform\$4 near10 xml near10 (html or edi or ascii)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:40
-	10	@ad<20002212 and transform\$4 near10 xml near10 (html or edi or ascii) same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:49
-	16	@ad<20002212 and (transform\$4 or translat\$4 or gateway) near10 xml near10 (html or edi or ascii) same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:51
-	203	@ad<20002212 and (transform\$4 or translat\$4 or gateway) near10 (xml or html or edi or ascii) near10 (html or edi or ascii) same message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:51
_	114	@ad<20002212 and (transform\$4 or translat\$4 or gateway) near10 (xml or html or edi or ascii) near10 (html or edi or ascii) near10 message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:53
_	3	@ad<20002212 and (transform\$4 or translat\$4 or gateway) near10 xml near10 (html or edi or ascii) near10 message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:54
_	46	@ad<20002212 and (transform\$4 or translat\$4) near10 xml near10 (html or edi or ascii)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 16:58
-	3	<pre>@ad<20002212 and ((transform\$4 or translat\$4) near10 xml near10 (html or edi or ascii)).ab.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10
_	35	<pre>@ad<20002212 and (transform\$4 or translat\$4) near10 xml near10 (html)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 17:38
L	L		IBM_TDB	<u> </u>

-	2	@ad<20002212 and 6567915.pn.	USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:13
_	0	@ad<20002212 and 2002/0078134	DERWENT; IBM_TDB USPAT;	2004/05/10
			US-PGPUB; EPO; JPO; DERWENT;	18:13
-	2	@ad<20002212 and "20020078134"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:29
-	8	@ad<20002212 and validation adj template	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:36
-	2	@ad<20002212 and valid\$4 near10 dtd	DERWENT; IBM_TDB USPAT;	2004/05/10
		near10 schema same message	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	18:40
-	5093	@ad<20002212 and valid\$4 near5 message	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10 18:40
-	5	@ad<20002212 and valid\$4 near5 message near10 (schema or dtd)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:44
-	6	@ad<20002212 and valid\$4 near5 message near20 (schema or dtd)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:50
-	168	@ad<20002212 and valid\$4 near20 (schema or dtd)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10
-	148	@ad<20002212 and valid\$4 near10 (schema or dtd)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:51
-	10	@ad<20002212 and (valid\$4 near10 (schema or dtd)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:53
-	4	@ad<20002212 and (valid\$4 near10 (data or message) same (schema or dtd)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10 18:55
-	14	@ad<20002212 and (valid\$4 same (schema or dtd)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/10
_	2	@ad<20002212 and (valid\$4 same message same (schema or dtd)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/10
		Same (Schema of Ata).	DERWENT; IBM TDB	19.00

		<u> </u>		
_	25	<pre>@ad<20002212 and (valid\$4 same message same (schema or dtd))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/10
_	2	@ad<20002212 and validation adj template same schema same dtd	IBM_TDB USPAT; US-PGPUB;	2004/05/13
		Same Solicina Same ava	EPO; JPO; DERWENT; IBM TDB	
-	23	@ad<20002212 and validat\$4 same schema same dtd	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13
_	90	@ad<20002212 and validat\$4 and schema and dtd 6571279.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 17:19
-	1	@ad<20002212 and validat\$4 and schema and dtd and 6571279.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17
-	48	@ad<20002212 and validat\$4 and accelerat\$4 same encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 09:59
-	760	@ad<20002212 and validat\$4 same tag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 10:03
_	2	@ad<20002212 and validat\$4 same remov\$5 near5 validat\$4 near5 instructions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17
-	240	<pre>@ad<20002212 and validat\$4 same tag same indicat\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17
-	139	<pre>@ad<20002212 and validat\$4 same tag near10 indicat\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 10:03
-	38	<pre>@ad<20002212 and validat\$4 near20 tag near10 indicat\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 10:04
_	233	@ad<20002212 and indicat\$4 near10 message near10 validat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 10:05
-	12	@ad<20002212 and indicat\$4 near10 message near10 validat\$4 same encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 10:08
-	2	@ad<20002212 and indicat\$4 near10 message near10 validat\$4 and validat\$4 near5 template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 10:47

-	4	@ad<20002212 and "6330598" and server	USPAT; US-PGPUB;	2004/05/17 11:54
			EPO; JPO; DERWENT;	
		0 1:00000010	IBM_TDB	2004/05/17
-	3	@ad<20002212 and "6330598" and trans1\$4	USPAT;	2004/05/17
		same message	US-PGPUB;	13:03
			EPO; JPO;	:
			DERWENT; IBM TDB	
_	2	@ad<20002212 and messag\$4 same	USPAT;	2004/05/17
	-	transform\$4 and messag\$4 same switch\$4	US-PGPUB;	13:24
		and "20030069975"	EPO; JPO;	
	1		DERWENT;	
		,	IBM_TDB	
_	1	• • • • • • • • • • • • • • • • • • • •	USPAT;	2004/05/17
		address\$4 same port same number same	US-PGPUB;	13:25
		request same root same validation	EPO; JPO;	i
			DERWENT;	1
	1	@ad<20002212 and "20030069975" and	IBM_TDB USPAT;	2004/05/17
-	1	gad<20002212 and "20030069975" and portion same message same transform and	USPAT; US-PGPUB;	2004/05/17
		switch\$4 same portion same message	EPO; JPO;	10.70
	1	220014. Dame boreron pame mennage	DERWENT;	
			IBM TDB	
-	53	@ad<20002212 and valid\$4 near5 message	USPAT;	2004/05/17
		same (remov\$4 or add\$4) same tag	US-PGPUB;	13:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13		USPAT;	2004/05/17
		(prevalid\$4 or pre-valid\$4 or (pre adj	US-PGPUB;	13:49
		valid\$4))	EPO; JPO; DERWENT;	
			IBM TDB	
_	121	@ad<20002212 and message same	USPAT;	2004/05/17
		(prevalid\$4 or pre-valid\$4 or (pre adj	US-PGPUB;	13:51
		valid\$4) or (previous\$4 near2 valid\$4))	EPO; JPO;	
		- · · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
-	78		USPAT;	2004/05/17
		(prevalid\$4 or pre-valid\$4 or (pre adj	US-PGPUB;	13:54
		valid\$4) or (previous\$4 adj2 valid\$4))	EPO; JPO;	
			DERWENT; IBM TDB	
1_	30	@ad<20002212 and indicat\$4 near10	USPAT;	2004/05/17
		message near20 validated	US-PGPUB;	13:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	73	@ad<20002212 and (indicat\$4 near10	USPAT;	2004/05/17
	1	validated).ab.	US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT;	
_	33	 @ad<20002212 and	IBM_TDB USPAT;	2004/05/17
-	33	message same tag	USPAT; US-PGPUB;	14:02
		message same cag	EPO; JPO;	- 1 - 0 - 0
			DERWENT;	
			IBM TDB	
-	10		USPAT;	2004/05/17
		message near20 tag	US-PGPUB;	14:05
			EPO; JPO;	
			DERWENT;	
		0-4<20002212 and144-444 5	IBM_TDB	2004/05/27
-	3		USPAT;	2004/05/17
		message adj100 tag	US-PGPUB; EPO; JPO;	14:06
			DERWENT;	
			IBM TDB	
L		<u> </u>	1 - 100	

-	6	<pre>@ad<20002212 and indicat\$4 same message same (prevalid\$4 or (pre-valid\$4) or (pre adj valid\$4) or (previous\$4 adj</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/05/17 14:09
		valid\$4))	DERWENT; IBM TDB	
-	6	<pre>@ad<20002212 and indicat\$4 same message same (prevalid\$4 or (pre-valid\$4) or (pre adj valid\$4) or (previous\$4 adj valid\$4) or (prior adj valid\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:09
-	12	<pre>@ad<20002212 and indicat\$4 same message same (prevalid\$6 or (pre-valid\$6) or (pre adj valid\$6) or (previous\$4 adj valid\$6) or (prior adj valid\$6))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17
_	35	@ad<20002212 and message near20 (prevalid\$6 or (pre-valid\$6) or (pre adj valid\$6) or (previous\$4 adj valid\$6) or (prior adj valid\$6))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:12
_	2	<pre>@ad<20002212 and add\$4 near20 message near20 (prevalid\$6 or (pre-valid\$6) or (pre adj valid\$6) or (previous\$4 adj valid\$6) or (prior adj valid\$6))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:24
-	17	@ad<20002212 and identif\$4 near10 message near10 validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:27
-	3	@ad<20002212 and "6092193"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:32
_	160	@ad<20002212 and message near20 (validation or authentication) near5 signal	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:32
_	4	@ad<20002212 and message near20 (validation or authentication) near5 signal near20 identif\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:33
_	160	@ad<20002212 and message near20 (validation or authentication) near5 signal	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:34
_	2	@ad<20002212 and message near20 (validation or authentication) near5 signal same confirm\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:36
_	2	@ad<20002212 and remov\$4 near5 validat\$6 near5 instruction	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:37
_	435	@ad<20002212 and (remov\$4or add\$4) near5 vali\$6 near10 message	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:38
-	65	@ad<20002212 and (remov\$4or add\$4) near5 valid\$6 near10 message near10 indicat\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 14:40

-	13	@ad<20002212 and xml near10 valid\$6 same message	USPAT; US-PGPUB; EPO; JPO;	2004/05/17 14:41
	4.5		DERWENT; IBM_TDB	0004/05/45
_	15	<pre>@ad<20002212 and xml near10 valid\$6 same indicat\$6</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 14:45
-	4	@ad<20002212 and xml near10 validated same indicat\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 14:45
-	25	@ad<20002212 and xml near10 validated	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 14:58
-	5	@ad<20002212 and xml near10 indicat\$6	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/17 15:03
			EPO; JPO; DERWENT; IBM_TDB	
-	5	@ad<20002212 and xml and validation near5 instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 15:05
-	10	@ad<20002212 and xml and indication same (message or document) same valid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:10
-	10	@ad<20002212 and xml and (tag or stamp or denote or mark or indicat\$4) near10 (message or document) near10 valid	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:15
_	6	@ad<20002212 and xml and confirm\$6 near20 (document or message) near10 valid	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:17
_	30	@ad<20002212 and xml and (document or message) near10 validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:19
_	3	<pre>@ad<20002212 and identif\$5 near10 previously near10 valid near10 (document or message)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 15:24
-	3	<pre>@ad<20002212 and identif\$5 near10 previously near10 valid near10 (cocument or message)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:20
_	64	@ad<20002212 and tag with message with valid	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/17 15:25
-	2	@ad<20002212 and tag with message with valid and xml	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/17 15:29
			EPO; JPO; DERWENT; IBM_TDB	

_	20	@ad<20002212 and tag adj10 (document or message) adj10 valid	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:30
-	315	@ad<20002212 and indicat\$6 adj10 (message or document) adj20 valid\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:35
-	3	@ad<20002212 and indicat\$6 adj3 (message or document) adj3 validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 15:37
-	13	@ad<20002212 and indicat\$6 adj3 (message or document) adj5 validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 15:37
-	99	@ad<20002212 and indicat\$6 adj3 (message or document) adj3 valid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 15:41
-	43	@ad<20002212 and indicat\$6 adj3 (message or document) adj3 valid\$6 same (bit or tag or indication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 16:22
-	105	@ad<20002212 and bit near10 (message or document) adj3 valid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 15:44
	2	@ad<20002212 and (indicat\$6 adj3 (message or document) adj3 valid\$6 same (bit or tag or indication)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 15:46
-	27	@ad<20002212 and xml and valid\$6 near10 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 16:00
-	78	@ad<20002212 and indication same (document or message) same validated	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 16:02
_	3	@ad<20002212 and (indication same (document or message) same validated).AB.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 16:01
-	14	@ad<20002212 and indication with (document or message) with validated	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/17 16:03
-	19	@ad<20002212 and identification near10 valid near20 document	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 16:04
_	79	@ad<20002212 and ((prevalid\$6) or (pre-valid\$6) or (pre adj valid\$6) or (previous adj valid\$6) or (prior near3 valid\$6)) near10 (message or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/17 16:06

-	200	@ad<20002212 and (switch\$6 or rout\$6)	USPAT;	2004/05/17
		near5 based near10 tags	US-PGPUB;	16:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	@ad<20002212 and (switch\$6 or rout\$6)	USPAT;	2004/05/17
		near5 message near5 based near10 tags	US-PGPUB;	16:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	